

# Japanese Dam Technologies Contributing to the World 2018



**JAPAN COMMISSION ON LARGE DAMS**

It's our honor to introduce  
the following expertise

- Japanese Original CSG Technology . . . . . P.1
  
- Upgrading Dams with Japanese Advanced Technologies  
under Operation . . . . . P.33
  
- Japanese Advanced Technologies for Sediment Management  
. . . . . P.41
  
  
- Appendix . . . . . P.52



# Japanese Original CSG Technology

# CSG Structures in JAPAN

④ Yokokawa Sediment Check Dam



⑤ Taiho Sub Dam




⑥ Kasegawa Sub Dam



⑦ Nagashima Sediment Check Dam



Map of Japan



- : Coastal Levee
- : Sediment Check Dam, Sub Dam, etc
- : Landslide countermeasure

① Natsui Coastal Levee



② Hamamatsu Coastal Levee



⑧ Landslide countermeasure (Isawa dam Reservoir)



## CSG Coastal Levee

Status	Name of Structure	Top level (Above sea level) (m)	Length (m)	Volume (CSG) (m <sup>3</sup> )	Raw Materials	Unit of Cement (kg/m <sup>3</sup> )
Completed	①Natsui Coastal Levee	7.2	920.0	60,000 (40,000)	Quake concrete wreckage	80~100
Under Construction	②Hamamatsu Coastal Levee	13.0	17,500	2,000,000	Terrace deposit	40~100
	③Sendai Bay South Coastal Levee	7.2	1,179	50,500	Excavated rock and sand material	40~100


## CSG Small Dam (Sub Dam, Sediment Check Dam, Cofferd Dam)

Status	Name of Structure	Height (m)	Length (m)	Volume (CSG) (m <sup>3</sup> )	Raw Materials	Unit of Cement (kg/m <sup>3</sup> )
Completed	④Yokokawa Dam Upstream cofferdam	12.4	26.0	3,200	Dam excavation material	60
Completed	⑤Taiho Sub Dam	30.0	110.5	34,000	Weathered rocks	60,100
Completed	⑥Kasegawa Sub Dam	29.3	115.5	68,000	Weathered rocks	80
Completed	⑦Nagashima Sediment Check Dam	33.0	127.0	23,100	River bed gravel and sand	80



# Trapezoidal CSG Dams in JAPAN

Map of Japan



② Tobetsu Dam



③ Sanru Dam



④ Apporo Dam



① Kin Dam




## List of Trapezoidal CSG Dams

Status	Name of Dam	Height (m)	Length (m)	Dam Body Volume (m <sup>3</sup> )	Raw Materials	Unit of Cement (kg/m <sup>3</sup> )
Completed	① Kin Dam	39.0	461.5	300,000	Weathered rocks	80~100
	② Tobetsu Dam	52.4	432.0	803,000	Riverbed sand and gravel	60~100
	③ Sanru Dam	46.0	350.0	495,000	Riverbed sand and gravel	60~100
	④ Apporo Dam	47.2	516.0	480,000	Weathered rocks	60~100
Under Construction	⑤ Naruse Dam	114.5	778.5	4,760,000		
Under Designing	⑥ Chokai Dam	81.0	365.0	1,688,000		
	⑦ Tsutsusago Dam	105.0	345.8	1,870,000		
	⑧ Mikasa-ponbetsu Dam	53.0	160.0	480,000		
	⑨ Honmyo-gawa Dam	64.0	385.0	750,000		


# Japanese Original Technology of Trapezoidal CSG Dam

① The trapezoidal CSG dam is a new type of dam which differs from the conventional concrete gravity dams, embankment dams, and hard-fill dams. The dam body is made of cemented sand and gravel (CSG).





The outlet works, gallery, etc. can be placed inside the CSG dam body.

② The trapezoidal shaped body requires less strength, so the material strength may be low, permitting the use of low-quality materials.



③ CSG can be produced easily by mixing cement and water with materials obtained nearby without gradation adjustment and washing.

④ The trapezoidal CSG dam is designed in range of an elastic body behavior of CSG, (so like a concrete dam).




In consideration of the larger scatter in CSG properties compared to concrete, "Diamond Shape Theory" has been established to design and control CSG strength.

# The Construction Results of Trapezoidal CSG Dams in Japan

Up to present, four trapezoidal CSG dams have been constructed in Japan. Currently, five more trapezoidal CSG dams are under construction or being designed. The highest of the completed trapezoidal CSG dams in Japan is 52m, however, those currently under construction are designed to be over 100m in height.

List of the Trapezoidal CSG Dams

Status	Name of Dam	Height (m)	Length (m)	Dam Body Volume (m <sup>3</sup> )
Completed	Kin	39.0	461	300,000
	Tobetsu	52.4	432	803,000
	Sanru	46.0	350	495,000
	Apporo	47.2	516	480,000
Under Construction	Naruse	114.5	778.5	4,760,000
Under Designing	Chokai	81.0	365	1,688,000
	Tsutsusago	105.0	345.8	1,870,000
	Mikasa-ponbetsu	53.0	160	480,000
	Honmyo-gawa	64.0	385	750,000



Tobetsu Dam



Kin Dam



Apporo Dam



Sanru Dam



# Application of the CSG Technology


The CSG Technology and the CSG construction method have also been to various structures.



**CSG Sediment Check Dam**



**CSG Sub Dam**



**CSG Coastal Levee**





**Landslide Countermeasure**



# CSG materials

CSG is produced using simple equipment by mixing cement and water with material obtainable nearby without classification, gradation adjustment or washing. When CSG is manufactured, gradation adjustment of CSG material such as sorting, blending, etc. is not carried out, other than removing or crushing oversized pieces, and cleaning. Thus, the equipment required to manufacture CSG is minimal: a simple continuous CSG mixing system.



## CSG Manufacturing Process

### CSG Material Raw material



Gravel which was excavated in the riverbed is used as raw material

### Machinery Continuous Mixer



Producing CSG is conducted with a high performance continuous mixer

## CSG Manufacturing Processes for a Trapezoidal CSG Dam



**Stock Yard of Concrete Wreckage (Raw Materials of CSG)**



**CSG Manufacturing Processes for Small CSG Structures**



# The Raw Materials of CSG

CSG consists of is rock-like raw materials such as material excavated to form the foundation, riverbed sand and gravel, terrace deposits, weathered rocks and concrete wreckage all of which can be obtained relatively easily.

CSG requires less strength than concrete, so the CSG raw materials may be lower quality than the rock used as concrete aggregate.

Many kinds of rock-like materials can be used as CSG materials. But we should decide the applicability of the materials proposed, as CSG materials, considering the strength, mixing condition, execution condition and so on. For example, when the material proposed contains high fine particle contents, there is high possibility of low strength and workability.



River Bed Gravel and Sand



Terrace Deposits



Concrete Wreckage




Excavated Rock

## The Raw Materials of CSG




# Construction Flow for a Trapezoidal CSG Dam

The CSG construction method can, like the RCD or RCC method, be executed by the layer placing method using general-purpose machines such as dump trucks, bulldozers, and vibrating rollers. The unit cement content is small and almost no bleeding occurs, so green-cutting is unnecessary. CSG is made by mixing cement and water with CSG material. A continuous mixing system is used, which is simpler than a normal concrete mixing system.



Construction Flow for a Trapezoidal CSG Dam



CSG Mixing System for a Trapezoidal CSG Dam



# Construction Flow for small CSG structures (Example of CSG coastal levee)

The CSG construction method for small structures can be executed by utilizing widely available small size general-purpose machines.

**Raw Materials:**  
Riverbed gravel, terrace deposits, excavated rock, concrete wreckage etc.



Concrete wreckage



Quarrying  
Terrace deposits



Crushing  
Crawler crushing machine



**Fresh CSG**

Mixing  
Mobile soil remediation machine



Transportation  
Dump Trucks  
(10t class Crawler type)



Bulldozing  
Bulldozer (7t class)



Compacting  
Vibrating Roller  
(4t class combined type)

# 1. Feature of The Trapezoidal CSG Dam

## What's the trapezoidal CSG dam ?\*1

The trapezoidal CSG dam is a new type of dam which differs from the conventional concrete gravity dams and embankment dams, and its dam body is trapezoidal in shape and made of cemented sand and gravel (**Fig.-1**), which is mixture of cement, water and material obtained near the dam construction site. This type of dam has been developed in Japan.

CSG can be produced easily by mixing cement and water with material obtained nearby without gradation adjustment and washing, but it is not as strong as concrete. To overcome this shortcoming, it was combined with a trapezoidal shape, which does not require great strength.

The trapezoidal CSG dam simultaneously leads to "**rationalization of materials**", "**rationalization of design**", and "**rationalization of execution**". And the feature of the trapezoidal CSG dam is shown in **Fig.-1**.




Fig.-1 The Feature of the Trapezoidal CSG Dam

## Standard Cross Section of the trapezoidal CSG dam-body (**Fig.-2**)

The trapezoidal CSG dam is made using CSG (**Photo-1**) for the main part of dam body, and protection concrete is placed on its surface to increase durability. A structural concrete for gallery and a seepage control concrete for securing seepage pass length are placed on the upstream side. CSG on the bottom surface of the dam body is rich-mix CSG selected to ensure durability.

\*1 This paper is prepared on "**Engineering Manual for Design, Construction, and Quality Control of Trapezoidal CSG Dam 2012**" which Japan Dam Engineering Center published. We forbid the reproduction of figures and photographs in this paper without permission.




Fig.-2 Standard Cross Section of the trapezoidal CSG dam



Photo-1 CSG Material and CSG

## Advantages of the Trapezoidal CSG dam

1. An required condition for a trapezoidal dam is that the vertical stress generated on the bottom of dam is always on the compressive side, so the dam body and foundation bedrock need not be integrated for the use of cohesion of rock foundation. Because the cohesion of the foundation bedrock needs not be used, it is possible to relax the conditions for the foundation bedrock.
2. In addition to the lower strength required for the dam body material, a trapezoidal CSG dam has fewer requirements for the foundation bedrock, increasing the flexibility for dam site selection.
3. A trapezoidal CSG dam can be built with a simple CSG manufacturing plant, permitting rapid execution by a continuous mixing system.
4. The construction cost depends upon each dam condition, but based on the previous cases, the construction cost of trapezoidal CSG dams is estimated to be 20 to 25% reduction compared to concrete gravity dams.

## The Construction Results of the Trapezoidal CSG Dams in Japan

Two trapezoidal CSG dams were completed in Japan. At present, seven trapezoidal CSG dams are under construction or designing. The maximum height of completed trapezoidal CSG dams in Japan is 52m. However, the design of 100m-high class trapezoidal CSG dams is now designing in Japan (**Table-1, Photo-2, Fig.-3**).

Table-1 List of the Trapezoidal CSG Dams

Status	Name of Dam	Height (m)	Length (m)	Dam Body Volume (m <sup>3</sup> )
Completed	① Kin Dam	39.0	461	300,000
	② Tobetsu Dam	52.4	432	803,000
	③ Sanru Dam	46.0	350	495,000
	④ Apporo Dam	47.2	516	480,000
Under Construction	⑤ Naruse Dam	114.5	778.5	4,760,000
Under Designing	⑥ Chokai Dam	81.0	365	1,688,000
	⑦ Tsutsusago Dam	105.0	345.8	1,870,000
	⑧ Mikasa-ponbetsu Dam	53.0	160	480,000
	⑨ Honmyo-gawa Dam	64.0	385	750,000





Tobetsu Dam



Kin Dam



Apporo Dam



Sanru Dam

Photo-2 The Trapezoidal CSG Dams



Fig.-3 Map of the Trapezoidal CSG Dams in Japan



# Application of the CSG Technology

The CSG Technology and the CSG construction method were also applied to sediment check dams for reservoir sediment management (**Photo-3**), sub dams (**Photo-4**), upstream cofferdams (**Photo-5**), etc. In addition, considering the advantages of the CSG technology, such as rapid execution and easy supply of materials, we have applied this technology to the coastal levees (**Photo-6,7**), landslide countermeasures (**Photo-8**), seepage control works in reservoir, and so on.



Photo-3 CSG Sediment Check Dam (Nagashima Dam Reservoir)



Photo-4 CSG Sub Dam (Taiho Dam)

**Under construction**



**After overflow**



Photo-5 Upstream Cofferdam (Yokokawa Dam)




Photo-6 Coastal Levee (Natsui Coastal Levee, Fukushima Pref.)




Photo-7 Coastal Levee (Hamamatsu Coastal Levee, Shizuoka Pref.)



Photo-8 Landslide Countermeasure (Isawa Dam Reservoir)

Table-2 List of CSG Coastal Levees and CSG Small Dams

Status	Name of coastal levee	Top level (Above sea level) (m)	Length (m)	Volume (CSG) (m <sup>3</sup> )	CSG Raw Materials
Completed	Natsui Coastal Levee	7.2	920.0	60,000 (40,000)	Quake concrete wreckage
Under Construction	Hamamatsu Coastal Levee	13.0	17,500	2,000,000	Terrace deposit
	Sendai Bay South Coastal Levee	7.2	1,179	50,500	Excavated rock and sand material

Status	Nam of Structure	Height (m)	Length (m)	Volume (CSG) (m <sup>3</sup> )	Raw Materials	Unit of Cement (kg/m <sup>3</sup> )
Completed	Yokokawa Dam Upstream cofferdam	12.4	26.0	3,200	Dam excavation material	60
Completed	Taiho Sub Dam	30.0	110.5	34,000	Weathered rocks	60,100
Completed	Kasegawa Sub Dam	29.3	115.5	68,000	Weathered rocks	80
Completed	Nagashima Sediment Check Dam	33.0	127.0	23,100	River bed gravel and sand	80




Fig.-4 Map of the CSG Structures in Japan

## 2. Design of The Trapezoidal CSG Dam

### Different points from the Concrete gravity dam and the Hardfill dam

The trapezoidal CSG dam is designed in range of an elastic body behavior of CSG, so like a concrete dam (**Fig.-5**), the outlet works, gallery, etc. can be placed inside the dam body, and the emergency spillway, etc. placed at the crest.

Besides, in consideration of the larger scatter in CSG properties compared to concrete, "Diamond Shape Theory (**Fig.-6**)" has been established to design and control CSG strength.

The strength of CSG depends on the materials used and cement content. According to previous cases, the CSG strength of riverbed deposit is about  $2\text{N/mm}^2$  or higher, and that of weathered rock is about  $2\text{N/mm}^2$  or higher. However, these values are not the upper limitation of the CSG strength of these materials.




Fig.-5 Definition of the Strength of CSG




Fig.-6 Diagram of Diamond Shape Theory

### How to decide the Standard cross section of the Trapezoidal CSG dam body.

- A trapezoidal CSG dam is a new type of dam, which is different from conventional concrete dams or embankment dams, and so is designed using an appropriate method for this shape instead of the existing method. The trapezoidal CSG dam is designed using the finite element method (FEM) and dynamic analysis method to consider the earthquake effects. An example of FEM analysis is shown as in Fig.7.
- A trapezoidal CSG dam is designed with upstream and downstream slope gradients set such that both during normal condition and during an earthquake, the vertical stress is compression along the entire base (**Fig.-8**).
- Upstream surface gradient: Selected based on the strength of the materials obtained, dam height, and foundation bedrock conditions. Based on previous and present cases, it is generally set to be 1:0.8.
- Crest width: Set considering constraints of construction works near crest. Based on previous and present cases, it is generally set to be 8m (**Fig.-9**).



The height of both dams is 50 m.

**Right-angled triangular dam  
(traditional gravity dam)**

**Trapezoidal dam**




Fig.-7 An example by FEM Analysis

(Distribution of maximum stresses, comparison of the concrete gravity dam and the trapezoidal CSG dam)




Fig.-8 Distribution of Vertical Stress over Bottom of the Dam body




Fig.-9 Necessary Width of Execution of the Trapezoidal CSG Dam Crest

## Zoning of the Trapezoidal CSG Dam-body

The trapezoidal CSG dam is made of CSG for the main part of dam body, and protection concrete is placed on its surface to increase durability. A structural concrete for gallery and a seepage control concrete for securing seepage pass length are placed on the upstream side. The CSG on the bottom surface of the dam body is rich-mix CSG to ensure durability.

Zoning of the Trapezoidal CSG Dam-body is as shown **Fig.-10~13**.

- **Protection concrete:** The permeability of CSG is generally low, but water tightness of trapezoidal CSG dam body depend on protection concrete. Concrete placed on the dam surface to ensure durability. Its thickness is a horizontal thickness of about 1.0~2.0m.
- **Seepage control concrete:** Concrete placed on the upstream side of the dam base to ensure water tightness of the contact rock surface from seepage flow. The length in stream direction are set according to dam height and permeability of rock foundation. The thickness is more than 2 m (**Fig.-15**).
- **Rich-mix CSG:** Cement with a higher cement content than used generally in the dam body, to accommodate irregularities of the bedrock. Its thickness is basically 1 m, but the thicker layer will be adapted based on topographical conditions.
- **Transversal joints:** Joints are installed in the CSG near the abutments on the left and right banks. In the middle, if the dam crest is long, they are installed about every about 100 m in the dam axis direction (**Fig.-16**).




Fig.-10 Standard Cross Section of the Trapezoidal CSG Dam




Fig.-11 Standard Cross Section of Tobetsu Dam




Fig.-12 Standard Cross Section of Kin Dam




Fig.-13 Standard Cross Section of Sanru Dam






Fig.-14 Width of Protection Concrete




Fig.-15 Layout of Seepage Control Concrete (Dam Axis Direction Section)





Fig.-16 Example of Locations of Transverse Joints

## How to Detail Design

The trapezoidal CSG dam is a new type of dam, which is different from conventional concrete dams or embankment dams, and so is designed using an appropriate method for this shape instead of the existing method. The trapezoidal CSG dam is designed using the finite element method (FEM) and dynamic analysis method to consider the earthquake effects.

In designing the trapezoidal CSG dams, you should have a detailed knowledge of design concept and procedure. The details are summarized in "Engineering Manual for Design, Construction, and Quality Control of Trapezoidal CSG Dam 2012" which Japan Dam Engineering Center published (you can purchase it here), or, please do not hesitate to contact with JCOLD\*2.



\*2 <https://search.jcold.or.jp/contacts/new>, Tel. +81-3-5614-0968, Fax. +81-3-5614-0969




In the trapezoidal CSG dam design, the physical properties of the CSG (strength, deformability) must be clarified. The design is conducted as follows.


1. First, the usable quantities of materials which can be obtained near the dam site are surveyed, accompanied by investigation and testing of the engineering properties of the material and the hardened CSG which will be made using the material (surface dry density and water absorption of CSG material, strength, elastic modulus and unit weight of CSG).
2. Next, the shape of the trapezoidal CSG dam (upstream/downstream slope gradients) is decided based on the physical properties of the hardened CSG obtained.
3. Analysis is performed based on the physical properties of CSG and the shape decided, to confirm the external stability and internal stability. If there is surplus stability, the gradient is set steeper within a range which ensures that the stress at the dam bottom remains compressive, or the unit cement quantity is lowered. If the stability is insufficient, a study is conducted on either relaxing the gradient or increasing the unit cement content, and the most rational overall shape is finally decided.

For the following reasons, FEM analysis are used (Fig.-17).

1. Both external and internal stabilities can be clarified more directly and rationally than by the conventional design method.
2. The finite element method permits consideration of the deformation properties of the foundation bedrock, allowing rational analysis.
3. Dynamic analysis permits direct and detailed determination of the effect of the shape of the dam body, and along with [2], rationally obtains the stresses inside the dam body, along the dam bottom, etc.



(a) Static analysis



(b) Dynamic analysis

Fig.-17 Example of an FEM Analysis Model

# 3. Feature of The CSG Material

## What is The CSG material ?

CSG is produced using simple equipment by mixing cement and water with material obtainable nearby without classification, gradation adjustment or washing. When CSG is manufactured, gradation adjustment of CSG material such as sorting, blending, etc. is not carried out, other than removing or crushing oversized pieces, and cleaning. Thus, the equipment required to manufacture CSG is minimal: a simple continuous CSG mixing system (**Photo-6~9**).




Fig.-18 CSG Manufacturing Process




Photo-6 CSG Manufacturing Process of Apporo Dam

<p><b>CSG Material</b> Raw material</p>  <p><b>Gravel which was excavated in the riverbed is used as raw material</b></p>	<p><b>Machinery</b> Continuous Mixer</p>  <p><b>Producing CSG is conducted with a high performance continuous mixer (SP-Mixer)</b></p>
--	--

Photo-7 CSG Manufacturing Process of Tobestu Dam



<p><b>CSG Material</b> Raw material</p>  <p><b>Gravel which was excavated in the riverbed is used as raw material</b></p>	<p><b>Machinery</b> Zcross Mixer</p>  <p><b>Producing CSG is conducted with high performance mixer</b></p>
---	---

Photo-8 CSG Manufacturing Process of Kin Dam

<p>Concrete wreckage</p>   <p>Wreckage crushing</p>	<p>Manufacture of CSG</p>  <p>CSG mixing</p>
---	--

Photo-9 CSG Manufacturing Process of Small CSG Structure (Coastal Levee)



## Raw Materials of CSG

CSG consists of its rock-like materials such as material excavated to form the foundation, riverbed sand and gravel, terrace deposits, weathered rocks, and quake concrete wreckage; all of which can be obtained relatively easily (**Photo-10**).

CSG requires less strength than concrete, so the CSG raw materials may be lower quality than the rock used as concrete aggregate.

Many kinds of rock-like materials can be used as CSG materials. However, we should decide the applicability of candidate materials, as CSG materials, considering the strength, mixing condition, execution condition and so on. For example, when the material proposed contains high fine particle contents, there is high possibility of low strength and workability.



(River Bed Gravel and Sand)



(Terrace Deposits)



(Quake concrete Wreckage)



(Excavated Rock)

Photo-10 The Raw Materials of CSG

## Quality control of the CSG material

The quality control for CSG contains three main items:

- Quality control of CSG
- Quality control of raw material
- Quality control of CSG material

Quality control of CSG is performed at the mixing equipment site and at the placing site.

At the mixing equipment site, unit water content and gradation are controlled by simple methods (**Photo-11**). The frequency of measurement is set to be high at the early stage of execution, and then the data analyses of the results are conducted in order to set an appropriate frequency. And in the mixing equipment, weights of water, cement, CSG materials are controlled. In principle, the material is supplied continuously so weighing should be done in real time.

Next, at the placing site, the roller compaction frequency is controlled as compaction energy control (**Photo-12**). As an extra precaution, an on-site density test is done to confirm that the control system is operating normally, for example, to check whether the quality of the material has changed, or if the weighing, spreading, and roller compaction, etc. are being done appropriately.

A strength test of specimens is also done in a laboratory (**Photo-13**), which is for the same purpose as the on-site density test, and the younger age strength, such as a 7-day strength test is usually used to check this as early as possible.



(Grain size distribution)



(Unit water content)

Photo-11 Quality Control Management Tests of the CSG Material  
(At the mixing equipment site)



Photo-12 Control of Roller Compaction Energy  
(At the placing site)



Photo-13 Strength Test of CSG Specimens  
(In Laboratory)

### Quality control Method of the raw material and the CSG material

Quality control of the raw material is done to confirm whether or not the quality of the raw material has changed greatly, and considering the time required to remake the Diamond Shape according to changes of quality, this is done to clarify the quality at least one month before execution.

The items controlled for CSG materials are surface dry density, absorption coefficient, gradation, and surface water content.

Quality control of CSG material is performed in the primary stock yard (quantity scheduled to be used in 3 to 5 days) and in the secondary stock yard (enough for the next day's work).

Sufficient material for the next 3 to 5 days is stocked in the primary stockyard, considering the time required (approx. 3 days) to test the surface dry density and absorption coefficient.

Table- 3 Considering the time required to do the test

Day	Item
1 <sup>st</sup> day	24hour water absorption
2 <sup>nd</sup> day	Measuring surface density, 24hour for drying
3 <sup>rd</sup> day	Measuring absolute dryness




Fig.-19 Flow from Stocking of CSG Material to Production of CSG



Photo-14 Primary Stock of CSG Material



Photo-15 Secondary Stock of CSG Material



# 4. Construction

## Construction Flow for a Trapezoidal CSG Dam

The CSG construction method can, like the RCD method, be executed by the layer placing method using general-purpose machines such as dump trucks, bulldozers, and vibrating rollers. The unit cement content is small and almost no bleeding occurs, so green-cutting is unnecessary.

CSG is made by mixing cement and water with CSG material. A continuous mixing system is used, which is simpler than a normal concrete mixing system.

The unit cement content is small and almost no bleeding occurs, so green-cutting is unnecessary.




Photo-16 Construction Flow for a Trapezoidal CSG Dam

# Construction Flow for small CSG structures (Example of CSG coastal levee)

The CSG construction method for small structures can be executed by utilizing widely small size general-purpose machines.



## Manufacturing Facilities of CSG

When CSG is manufactured, gradation adjustment of CSG material such as sorting, blending, etc. is not done, other than removing or crushing oversized particles, and washing is also not done, so the equipment required to manufacture CSG is very simple: simple continuous CSG mixing systems are used (Photo-17,18).



Photo-17 CSG Production Equipment (Tobetsu Dam)



Zcross Mixer (Kin Dam)



Mobile Soil Remediation Machine (For Small structure; Natsui Coastal Levee)

Photo-18 CSG Mixing Systems

## Construction Facilities

For rapid execution, there are almost no restrictions on equipment for material production and mixing of CSG. Therefore, the manufacturing equipment for CSG material and CSG can be selected flexibly to suit the execution speed.

Next, the placing work of the trapezoidal CSG dam consists of:

- 1) CSG placing work,
- 2) Protection concrete placing work, and



3) Formwork installation work, but performing these works at the same location greatly reduces efficiency. Therefore, these placing works are done at different times to avoid interference and ensure smooth construction of the dam body.




Fig.-20 Manufacturing Flow of CSG




Photo-17 CSG Placing Work



Photo-18 Protection Concrete Placing Work

## References

- Engineering Manual for Construction and Quality Control of Trapezoidal CSG Dam 2007, Japan Dam Engineering Center
- Engineering Manual for Design, Construction, and Quality Control of Trapezoidal CSG Dam 2012, Japan Dam Engineering Center




# Upgrading Dams with Japanese Advanced Technologies under Operation

# Controlled blasting technique with an electronic detonator

In the conventional blasting technique with a DS (decisecond-level) electric detonator, the gas created by the previous blast escapes through the construction joints before the next blast occurs, which makes this technique not suitable for concrete demolition. Therefore, by adopting the MS (millisecond-level) electric detonator, the next blast is successfully detonated before the gas escapes.

However, there were concerns about a blast vibration at private residence area exceeding the limit value set by management standard. Our solution was to deploy an electronic detonator (product name eDev II) and set one-hole one-step blasting with a time difference of 15 milliseconds, which enabled demolition blast to generate moderate vibration that was significantly lower than the standard limit value.



Drilling



Charging explosives



Blasting completion

## 【Characteristic】

- Time setting in arbitrary milliseconds for each detonator is possible on the spot.
- Time setting can be set in 1 ms increments within range from 0 to 20,000 ms.
- The precision of the set time is  $\pm 0.1\%$ .
- Includes safety devices to protect integrated circuits in the detonator from high voltage such as static electricity or induced current due to lightning strike.
- Includes a capacitor that stores the energy necessary for communication with the explosive device as well as for ignition.
- Each explosive device can detonate up to 500 electronic detonators.

This technique is effective in cases such as blast vibrations need to be suppressed, especially when other properties are in close proximity, or in when construction time is too limited to deploy conventional blasting technique.

## 【Regarding Environment, Surroundings, etc.】

(Plan) Vibration level: not to exceed management standard value of 75 dB


(Actual) Vibration level: actual value of 61 dB (average)

## 【Future Prospects】

- Among controlled blasting methods for demolition, this technique is the most superior at present.
- In the introduced case, we set 15 ms as the time difference, however, we are still working on finding the optimal setting.

## Work Description

【Dam】 Arase  
 【Type】 Concrete gravity dam  
 【Dimensions】 Height 25 m Length 210.8 m Volume 47, 167 m<sup>3</sup>  
 【Purpose】 Power generation



## 【Purpose】

To remove water intake facilities and drainage lines, which are structures inside the river, due to the shutdown of the hydroelectric power station.



# LIBRA-S Method: Temporary piers oblique tie installation method

**【Purpose】** To streamline the submerged brace installation work for temporary platforms.

**【Background of selection of the method】**

The brace installation work had been carried out using divers. However, the small range of visibility of the dam interior significantly harmed the work efficiency. The high turbidity of water after floods suspended the work for several days. Due to these, this work method to streamline the underwater operations was developed.


**【Construction conditions】** Construction depth: 0 - 30m

**【Outline of work method】**


In constructing the substructure (brace) of a temporary platform, unit substructure members are assembled above water and slid downward and installed, thereby considerably reducing the diving operation.

- Most of the braces are assembled on stages installed above water, which reduces submerged operations, leading to an increase in the construction efficiency and safety.
- Once the work is completed, only bolts are loosened under water then the substructure members are collected in succession and demolished above water. This also results in higher safety and efficiency.

(1) Preparation work



(2) Temporary brace assembly work above water



(1) Preparation work

Install a hanging working stage above water. Mount electric chain blocks onto the upper structure girder. Tie brace bands onto steel pipe piles to couple braces and steel pipe piles.

(2) Temporary brace assembly work above water

Install horizontal and diagonal members. Hook the chain on a hanging jig on the upper horizontal members.


(3) Sliding down of braces

Run the electric chain blocks to slide the braces one level downward.


(4) Repeating of sliding

Repeat the above steps from tying brace bands in (1) to the rest.



(3) Sliding down of braces



(4) Repeating of sliding



Run the electric chain blocks to slide the braces one level downward.



## Summary of the project

**【Dam】** Kanogawa dam

**【Type】** Gravity concrete dam

**【Specifications of the dam】**

Height : 61m, Crest length : 167.9m, Volume : 161,000m<sup>3</sup>

**【Purpose】**


Flood control, hydropower

**【Purpose of work】**

A tunnel spillway will be constructed on the right bank of the dam in order to increase the flood regulation capacity of the existing Kano River Dam 1.4-fold.

Tunnel spillway:

Standard finished inner diameter: 11.5m; maximum cross section of excavation: 320m<sup>2</sup>



Source: Ministry of Land, Infrastructure, Transport and Tourism, Shikoku Regional Development Bureau pamphlet

# Full Rotation and Full Casing Method

**【Purpose】** To bore holes for installing steel pipe sheet piles in the bedrock under water.

**【Background of selection of the work method】**

- Relatively economical for the excavation of 2m-dia. and max. 30m-deep holes in submerged bedrock.
- Has an operational record.
- Applicable to a wide range of bedrocks.


Excavation scale:

Width 10m x length 45m x maximum depth 30m


Excavation volume: 4,900m<sup>3</sup>

Excavation shape:

Width 11m x length 11m x average depth 10m




Construction site view with rotary excavator RT-300



**【Characteristics】**

- This method can apply to a wide range of soils and also allows for greater construction depth and excavation diameter than other methods. (Excavation depth: about 50m; excavation diameter: 3,000mm)
- The method supports most soil conditions.
- Clayey soil deposits on the outer periphery of the casing could increase a friction resistance, possibly hampering or preventing the revolving of the casing.



## Summary of the project

**【Dam】** Kanogawa dam

**【Type】** Gravity concrete dam

**【Specifications of the dam】**

Height : 61m、Crest length : 167.9m、Volume : 161,000m<sup>3</sup>

**【Purpose】**


Flood control、hydropower

**【Purpose of work】**

A tunnel spillway will be constructed on the right bank of the dam in order to increase the flood regulation capacity of the existing Kano River Dam 1.4-fold.

Tunnel spillway:

Standard finished inner diameter: 11.5m; maximum cross section of excavation: 320m<sup>2</sup>



Source: Ministry of Land, Infrastructure, Transport and Tourism, Shikoku Regional Development Bureau pamphlet



# Underwater wire saw method

【Purpose】 A part of underwater concrete structure was cut and removed by the wire saw, which was then placed above water level.

【Selection process of method】


Because of the lack of visibility in the reservoir (only 0~1m), the original method, that the main body was set underwater was changed to the alternative method that the main body was set on the barge above water level and extend wire into water, since it will be difficult to cope with incase of cutting the wire, and it has less ability of cutting, etc.

(Adopted wire saw : K-WAC-04, 32.2Kw)

【Conditions】 Water depth : 0~30m、Concrete strength : Approximately 30N/mm<sup>2</sup>

【Features】


- Under water concrete structure was cut by wire saw and was placed above water level.
- It is possible to execute when that the reservoir has the lack of visibility and it is difficult to work underwater.
- Maintenance work is easy because the wire saw itself is placed above water level.
- It is not necessary for the wire saw to replace every place to cut off.
- Great depth result in the increasing the risk of cutting wire because the length of the wire saw is long.
- Since the method use crane, restraint time will be longer.




Cutting parts by wire saw under water



Cutting of the concrete structure



Lifting cut concrete mass in water



Cutting of the concrete structure underwater by wire saw

【Procedure of the work】

- Set the wire saw body (cutting machine) on the barge and cut the concrete in the underwater block into blocks of 20 t or less.
- Cut the concrete block by lifting it with a crawler crane (120 t) placed on the temporary gantry.
- Dispose of the removed concrete lumps in large trucks after handling them to a predetermined location.

## Summary of the project

【Dam】 Kanogawa dam

【Type】 Gravity concrete dam

【Specifications of the dam】

Height : 61m、Crest length : 167.9m、Volume : 161,000m<sup>3</sup>

【Purpose】

Flood control、hydropower

【Purpose of the project】

A tunnel flood discharge is newly constructed on the right bank of the dam, with the aim of setting the flood control capacity of the existing Kanogawa dam 1.4 times.

A tunnel flood discharge:

Standard inside diameter 11.5m, Maximum excavate section 320m<sup>2</sup>

In the Kano River dam remodeling project, new low water discharge facility "and "selective water intake facility" are constructed for the purpose of preventing cold water discharge and prolongation of turbid water discharge and suppressing eutrophication of reservoir.





Image of the project

"Reprinted from the pamphlet of Yamasakizaka Dam Construction Office, Shikoku Regional Development Bureau, Ministry of Land, Infrastructure and Transport"




# Drilling the existing dam body using road header

## Dam-body Drilling



Overview of the non-vibration penetration technique




Drilling the dam-body

In the existing dam, a total five holes were drilled: three for the expansion of discharge pipes and two to move the power generation intake pipes. To drill five locations in the same dam-body is the largest scale in Japan, as a dam upgrading work. The drilling depth per hole is approx. 60 m, which contains a section of 1 m of upstream non-vibration penetration section (hole size: vertical 6 m, horizontal 6 m). To drill the general section, a 200 to 240 kW class road header was used. The vibration value on the dam-body was measured to confirm if there are any effects on the dam-body. This picture shows the drilling work performed by a road header. As it was reported from similar construction that vibration would be the strongest at the time of penetration, the non-vibration penetration technique was adopted to avoid impact from vibration during penetration.



To avoid impact from vibration during penetration


## Reduce the burden of the dam body




Main drilling, reduction of vibration at the time of drilling



Finish drilling, improvement of drilling accuracy



To avoid impact from vibration at the time of drilling start accuracy




## Summary of the project

### 【Dam Specifications】


Type : Concrete gravity dam  
 Height : 117.5m  
 Length : 450.0m  
 Volume : 1,119,000m<sup>3</sup>  
 purpose : flood control and power generation

The concept of the project is to increase flood capacity and discharge facilities. The increase in flood storage will increase to a total capacity of between 75 million m<sup>3</sup> and 98 million m<sup>3</sup> by transferring the power generation capacity during flood season of 2.5 million m<sup>3</sup> and dead water storage of 20.5 million m<sup>3</sup>, for a total of 23 million m<sup>3</sup>, to flood storage. The discharge facility was expanded to enhance discharge capacity by adding three conduit gates on the right dam-body (EL 115.6) at a location lower than the current discharge facility (EL 130.0) in accordance with the decline of the lowest water level.

### Overview of the Redevelopment




### Rendering of Tsuruda dam upgrading project






# Floating type temporary cofferdam method

## Overview of New Technologies



Bulkhead structure of floating type method



The cofferdam construction requires long diving hours at a very deep water depth, large temporary equipment, and a long construction timeframe.

For the floating type temporary cofferdam method, steel plates (skin plates) are attached to both the inside and outside of the bulkhead to make an airtight structure, and this becomes the buoyancy chamber to make the bulkhead float. It is important to maintain the balance between buoyancy forces and dead weight by filling and draining the bulkheads in the proper order. And this new method was used for the first time in the Tsuruda Dam upgrading.

## Efficiencies of the technologies

Increasing safety	Reduce diving works in deep water
Shorter construction	Unnecessary to prepare large-scale temporary equipment
Cost reduction	Unnecessary to prepare large-scale temporary equipment
Increasing quality	Improving water tightness (The bulkhead blocks can be assembled out of the water)
Decreasing the environmental burden	Unnecessary to prepare under water equipment

## Construction Method



For actual construction, bulkhead blocks made at local factories will be assembled on the reservoir to standardize them and they will be towed to the installation position by a ship, and subsequently pulled by a winch and secured. And then, water is drained from the cofferdam.

## Efficiencies of this method :

This is dependent on scale of the cofferdam and construction depth, as large temporary facilities, such as pedestal concrete and support framework, are unnecessary and diving work can be greatly reduced, costs and processes can be reduced, and safety can be improved, leading to an increase in construction efficiency. Moreover, when drilling holes in the same dam, it is necessary with conventional methods to disassemble and then reassemble the bulkheads, but with this method there is no need to disassemble the bulkheads; flood the cofferdam and detach the bulkheads from the dam-body and tow it as is to the next construction site where it can be installed.

## Summary of the project


### 【Dam Specifications】

Type : Concrete gravity dam  
 Height : 117.5m  
 Length : 450.0m  
 Volume : 1,119,000m<sup>3</sup>  
 purpose : flood control and power generation

The concept of the project is to increase flood capacity and discharge facilities.

The increase in flood storage will increase to a total capacity of between 75 million m<sup>3</sup> and 98 million m<sup>3</sup> by transferring the power generation capacity during flood season of 2.5 million m<sup>3</sup> and dead water storage of 20.5 million m<sup>3</sup>, for a total of 23 million m<sup>3</sup>, to flood storage. The discharge facility was expanded to enhance discharge capacity by adding three conduit gates on the right dam-body (EL 115.6) at a location lower than the current discharge facility (EL 130.0) in accordance with the decline of the lowest water level.

## Overview of the Redevelopment



## Progress status of construction




Aerial photograph taken at the end of March 2015



# Underwater Work Method by Shaft-Style Equipment

## Remote Controlled Multifunctional Underwater Equipment Underwater Operation Using an Equipment with Apparatuses



### Summary

This equipment enables a series of underwater operations such as rock crushing, excavation, debris, disposal, precise sounding, photography, etc. in a safe and reliable condition through remote controlling. These are carried out by using various apparatus on a machine attached to a shaft which is lowered from a barge. The machine moves up and down along the shaft.

The equipment has been developed to conduct various underwater works without divers. It is especially advantageous for works in deep, steep and limited visibility areas such as dam reservoirs. Significant improvements of safety and operational efficiency are observed through remote controlled visualization technology and computerized technology.

### Specific Features

- Enables deep underwater (-50m) works without divers
- Applicable for all types of reservoirs
- Applicable for very steep areas via an equipped casing auger
- Applicable for deep and dark reservoir bases via equipped ultrasonic camera
- Enables precise execution via equipped sounders

### Various Apparatuses



### ① Erection of Shaft



### ② Installation of Equipment, Launch



### ③ Rock crushing, Debris collecting



### ④ Dredging





## Summary of the project


This method was adopted for the construction of the inflow and vestibule area of the tunnel discharge facility in the Amagase Dam Redevelopment Project.

### Amagase Dam Specifications

- Model: Arched concrete dam
- Dam height: 73.0m
- Crest length: 254.0m
- Dam volume: 122,000m<sup>3</sup>
- Total reservoir capacity: 26,280,000m<sup>3</sup>
- Effective reservoir capacity: 20,000,000m<sup>3</sup>
- Purpose: Flood control, Waterworks, Power generation








# Japanese Advanced Technologies for Sediment Management

# Replenishing to the river by artificially removing sediment and temporarily placing this to the downstream

– Countermeasures for sedimentation –

## Outline

- Temporary sediment placing is a method of artificially removing sediment of reservoir and check dam, trucking and temporarily placing them to the downstream riverbed and flushing down by natural or artificial flood.
- This method can be implemented without using special facilities and is adopted by many dams in Japan for sediment management measures and environmental improvement.
- The amount of replenishing to the river is around 1 to 10 thousand m<sup>3</sup> per year, which is 1 to 10% of the annual average sedimentation.



## Case on Countermeasures for sedimentation at Nagayasuguchi dam

- Nagayasuguchi dam is a multipurpose dam completed in 1956 in the Nakagawa River.
- The progression of sedimentation of the dam is remarkable. The sediment volume as of 2016 was 16,078 thousand m<sup>3</sup> and those sedimentation for approximately 30% of total water storage capacity.
- As a countermeasure for sedimentation, 1,372 thousand m<sup>3</sup> sediments from 2007 to 2016 have been temporarily placed downstream.
- In the downstream river, various environments are created, including rapids, pools and dry riverbed due to sediment replenishing to the river by temporary placing to the downstream.



Nagayasuguchi Dam




- The placed sediments are flushed by natural flood



Flood of 5,384 m<sup>3</sup>/s



Flood of 5,384 m<sup>3</sup>/s



85,000m<sup>3</sup> sediments out of 85,000m<sup>3</sup> were flushed out.



88,000m<sup>3</sup> sediments out of 185,000m<sup>3</sup> were flushed out.

- The change of riverbed



Most of the water area were placed by pool due to the sediment shortage in 2009.



Pool changed into rapids    Pool changed into dry river bed.



(Data provided by Nakagawa River Office, Ministry of Land, Infrastructure, Transport and Tourism Shikoku Regional Development Bureau)

- Performance: We have temporarily placed 1,372 thousand m<sup>3</sup> of sediments to downstream rivers in 10 years.




# Replenishing to the river by artificially removing sediment and temporarily placing this to the downstream

– Improvement of the river environment –

## ■ Outline

- Temporary sediment placing is a method of artificially removing sediment of reservoir and check dam, trucking and temporarily placing them to the downstream riverbed and flushing down by natural or artificial flood.
- This method can be implemented without using special facilities and is adopted by many dams in Japan for sediment management measures and environmental improvement.
- The amount of replenishing to the river is around 1 to 10 thousand m<sup>3</sup> per year, which is 1 to 10% of the annual average sedimentation.



## ■ Case on improvement of the river environment at Shimokubo dam

- Shimokubo dam is a multipurpose dam completed in 1968 in the Kanna River, a tributary of the Tone River.
- Sediment supply to the downstream river was blocked by the construction of the dam. As a result, river bed degradation, bed materials coarse grain progressed and the boulders of Sanbaseki-kyo, the scenic spot, were covered with moss.
- Since 2003 we have replenished sediments to downstream rivers by temporarily replacing them to the downstream of dam.
- On the downstream river, sandbar shaping and cleansing effects (recovery of river landscape) have been confirmed by sediment replenishment to downstream.



Shimokubo Dam



Replenished sediments by temporary placing them



Sand and gravel washed away from the river bed  
Before dam constructed (1960's)




After 44 years constructed of dam (current)

### ● Cleansing effects (recovery of river landscape)



Jul. 2005


Before the supplying



Oct. 2007

After the supplying

### ● Sandbar shaping



Jun. 2004

Deposition

Deposition

Deposition

Jun. 2007

- Performance: We have replenished about 20 thousand m<sup>3</sup> of sediments to downstream rivers in 4 years and improved the river environment.



# Countermeasure for sedimentation using sediment sluicing


- Total sediment management in the Mimikawa river basin -

## Outline

### Through coordinated sediment management of dams

- (Mountain zone) Suppression of discharge of sediment and driftwood by forest preservation, erosion control works and sabo works.
- (Dam area) Recover the continuity of sediment transportation by dam upgrading and appropriate operation management.
- (River course zone) Realize safety and biodiversity through appropriate river management.
- (River mouth and shore zone) Conservation of sustainable estuaries and coasts through appropriate management of consistent sediment in the water system.

### The vision of coordinated sediment management in a basin



## Contents

### Scheme of dam upgrading


Implementation of dam upgrading to partial cutting down of existing dam within a range where there is no structural problem.

Cutting down height :

Saigo Dam = 4.3m , Yamasubaru Dam = 9.3m

### Sediment sluicing operation

- Drawing down the water level of the reservoir beforehand at the time of large-scale flooding, and making flow conform to the ordinary river condition and sediment inflow into the reservoir.



- On the Mimikawa, River sluicing operation conducts at downstream 3 dams.




Before upgrading



After upgrading



Saigo Dam




Saigo Dam (Sept. 9. 2017)




# Sediment Flushing at Dashidaira Dam

## Outline

- The Kurobe River is known in Japan to produce numerous sediment due to its poor geology and heavy rainfall.
- Dashidaira Dam, located 28 km upstream from the river mouth of the Kurobe River, was constructed in 1985 as the first dam equipped with full-scale sediment flushing gates in Japan.
- The flushing gate operation is optimized by lowering the water level and reaching the free-flow river condition during floods.
- An environmental assessment committee has been in operation involving academic experts, which has functions of authorizing the scheme of flushing operation and evaluating the environmental impacts of flushing based on sampled data.




## Procedure for Sediment Flushing Operation



## Environmental Sampling


- Numerous sampling surveys have been carried out, covering the downstream part of the Kurobe River as well as the coastal areas of the Japan Sea expanding from the river mouth of the Kurobe River.
- Sampling is periodic, providing three statuses: before, during and after flushing operation, to monitor the environmental impacts of flushing.



MLIT: the Ministry of Land, Infrastructure, Transport and Tourism

## Historical Records in Effects of Sediment Flushing Operation

- Coordinated flushing and sluicing operation has been carried out since 2001 with Unazuki Dam, owned by MLIT, located 7 km downstream from Dashidaira Dam.
- Annual flushing volume of sediment is  $380 \times 10^3 \text{ m}^3$  on average.



A big flood occurred in July 1995.

Coordinated flushing operation was started with Unazuki Dam.

380,000 m<sup>3</sup>

MLIT: the Ministry of Land, Infrastructure, Transport and Tourism




# Hydro-suction sediment dredging

## ■ Outline

The mobile siphon dredging system which consists of three parts: a siphon intake unit, a conveyance unit and an outlet unit. The siphon dredging system which uses the difference in the reservoir water level and the sediment transport destination outlet level to excavate/dredge and convey sediments. The Siphon Barge forming the siphon intake unit is able to move reservoir area and dredging sediments.

### Conceptual drawing of siphon dredging



## ■ System features

- Transferable  
A Siphon Barge equipped with a suction unit is freely transferable on the reservoir.
- Simple structure  
Since there is no impeller unlike the pump, the sucked dust can pass through the inside of the pipe as it is.
- Powerless  
Using the siphon principle so, there is no need mechanical power.
- Cost reduction  
Low energy consumption and running cost.



Siphon intake unit - Siphon Barge



Conveyance unit - Sediment discharge pipeline & pressure regulator



Outlet unit - View of Sediment dredging



Dredged & transported sediment from reservoir

### 【WONOGIRI DAM】



View of dredging site

### 【Upstream】



View of siphon dredging facility

### 【Downstream】


■ Performance: Dredging volume = 77 m<sup>3</sup>/hour,  
The sediment concentration = 2 %, Sediment discharge pipe = φ 600 mm



# Model experiment of hydro-suction sediment dredging


## Outline of Hydro-suction sediment dredging

- The method of sucking and removing sediments is using the difference water level between reservoir and the downstream water levels.
- Since it does not require mechanical power, the initial cost and running cost can be reduced.




## Outline of model experiment


- Reproduce the water level difference at the model, generate water flow inside the pipe, and suck sediments from the suction holes at the bottom of the pipe by using negative pressure.



## View of model experiment




Before suction



During suction


## Cases of Hydro-suction sediment dredging



The fixed type



The mobile type



The surface installation type

# Sediment Bypass at Asahi Dam

## Outline

- Asahi Dam had suffered prolonged turbid water, caused by collapsed sediment brought by large typhoons, since its start in 1978, and KANSAI ELECTRIC POWER adopted the bypassing method as a drastic measure against the problem of prolonged turbid water in the reservoir.
- This method takes full advantage of the characteristics of Asahi Dam that there is no function of storing water because it is a lower dam of the associated pumped-storage power station. Turbid water coming from upstream is diverted before the reservoir to downstream through the bypass tunnel, which can also contribute to controlling reservoir sedimentation conveying bed load as well as suspended load.



## Procedure for Sediment Bypass Operation

(Patent:No.3347104) 【Patentee: Kansai Electric power Co., Inc. and NEWJEC Inc.】

## Historical Records in Effects of Sediment Bypass Operation

Introduction of the sediment bypass system has improved the reservoir environments as follows:

- The annual number of days of occurrence of prolonged turbid water - over 5 ppm - has decreased from 81 days to 14 days on average, and
- The annual sedimentation rate has decreased from  $78 \times 10^3 \text{ m}^3$  to  $17 \times 10^3 \text{ m}^3$  on average.






# Sediment Bypass - Bypassing of clay and silt -

## Outline


- Sediment bypassing is a method to divert all or part of flood water containing sediment at the diversion weir constructed upstream of a reservoir, and route this via the bypass tunnel to the downstream reaches.
- This method is adopted for 4 dams in Japan for the purpose of permanent sedimentation countermeasure for dams with large sedimentation and relatively plentiful discharge.
- The target sediment materials can correspond according to the characteristics of the dam, such as in the case of only wash road or all grain size.



## Case on Miwa Dam

- Miwa dam is a multipurpose dam complete in 1959 in the Tenryu river basin Mibu River.
- Because of the reservoir sedimentation is quickly, we started sediment bypass operation in 2005, and it is showing its effect.
- At the Miwa Dam, among the incoming sediment material, only the wash road are flowed from the upstream of the reservoir by sediment bypass tunnel to the downstream of the dam and coarse grain material is trapped by the check dam and the diversion weir.
- On the downstream river, monitoring is carried out to ascertain the effect and impact of sediment bypassing.


## Operation rule of Miwa Dam sediment bypassing



## Operational performance

Flood name	Maximum flow rate		Bypass discharge time	Wash load amount	
	Inflow	Bypass		Inflow	Bypass
July 2006	366 m³/s	242 m³/s	47 hours	326,000 m³	150,000 m³
July 2007	166 m³/s	136 m³/s	35 hours	37,000 m³	14,000 m³
Sept. 2007	568 m³/s	264 m³/s	48 hours	462,000 m³	155,000 m³
July 2010	229 m³/s	199 m³/s	146 hours	131,000 m³	80,000 m³
Sept. 2011	218 m³/s	178 m³/s	87 hours	99,000 m³	60,000 m³

## Miwa Dam and Sediment bypass tunnel



Sediment check dam

Mibu weir (Diversion weir)

Dam type	Concrete gravity
Dam Height	20.5m
Crest Length	244.5m

Intercept coarse sand and gravel (sedimentation) and make it easy to excavate out after flooding.

Bypass outlet



It is overflowing to draw a semicircle radially from the energy dissipater and it is being energy dissipated.


■ Performance: Along with the operation of the sediment bypass, increase in sedimentation volume could be suppressed in general.



# Sediment Bypass - Bypassing of clay, silt, fine sand -

## Outline

- Sediment bypassing is a method to divert all or part of flood water containing sediment at the diversion weir constructed upstream of a reservoir, and route this via the bypass tunnel to the downstream reaches.
- This method is adopted for 4 dams in Japan for the purpose of permanent sedimentation countermeasure for dams with large sedimentation and relatively plentiful discharge.
- The target sediment materials can correspond according to the characteristics of the dam, such as in the case of only wash road or all grain size.



## Case on Matsukawa Dam


○ Matsukawa dam is a multipurpose dam completed in 1974 in the Tenryu river basin Matsukawa River.

○ Because the upper stream of Matsukawa Dam is steep in the topography and fragile in the geology, due to repeated floods including Typhoon No.10 in 1983, design sediment storage of dam flowed into the reservoir and accumulated.

○ Among the incoming sediment material, fine sediment are flowed from the upstream of the reservoir by sediment bypass tunnel to the downstream of the dam with running water and reducing sediment inflow into the reservoir.


○ From 2016, experiment operation of the sediment bypass was started.

### ● Matsukawa dam & sediment bypass tunnel




Specification of Tunnel	
Max. Discharge	200m <sup>3</sup> /s
Tunnel length	1,417m
Slope	1/25


### ● Change over the years of reservoir sedimentation situation



### ● Overview of experiment operation of the sediment bypass (From Nov.11, 2016 to Dec.31, 2016.)



### ● Sediment bypass facility




■ Performance: Along with the experiment operation of the sediment bypass, an increase in sedimentation volume can be suppressed.

# Sediment Bypass - Bypassing from clay to gravel -

## Outline


- Sediment bypassing is a method to divert all or part of flood water containing sediment at the diversion weir constructed upstream of a reservoir, and route this via the bypass tunnel to the downstream reaches.
- This method is adopted for 4 dams in Japan for the purpose of permanent sedimentation countermeasure for dams with large sedimentation and relatively plentiful discharge.
- The target sediment materials can correspond according to the characteristics of the dam, such as in the case of only wash road or all grain size.



## Case on Koshiu Dam


- Koshiu dam is a multipurpose dam completed in June 1969.
- As of 2015, the sedimentation rate of the reservoir is 89%, and if in such a situation sedimentation proceeds, it is predicted that the sedimentation rate will be 100% after another 15 years.
- By operating sediment bypass, it is possible to extend the life of the reservoir by about 60 years.
- The incoming sediment material without large stone are flowed from the upstream of the reservoir by sediment bypass tunnel to the downstream of the dam with running water and reducing sediment inflow into the reservoir.

## Effect of Koshiu dam sediment bypassing




(Estimated based on actual results of 2014 years since completion of dam)


## Conceptual diagram of sediment bypassing facility




## Koshiu dam and sediment bypass tunnel outlet



## Sediment bypass inlet area and diversion weir



## View of sediment bypassing



- Performance: Three bypass discharges were carried out in 2016, bypassing almost the same amount of sediments as the incoming from the upstream to suppress the inflow of sediment into the reservoir.





# Appendix

We have Original Advanced Technologies



## Improvement of Sediment Transportation in Dam

### 1. Reservoir Sediment Restoration for Fish Habitat in Downstream of Hiranabe Dam

#### 1.1 Background

J-POWER has three dams for hydropower plants in Nahari river basin having 61 kilometers of the length and 311 square kilometers of river catchment area as shown in Figure 1. Due to its steep gradient;1/250, the Nahari river is suitable site for hydropower and hydropower development was commenced in 1960s. However, transportation of riverbed material was terminated by the dams; consequently, degradation and granulation of river bed (armor coating) had been caused in the downstream of dams. Although the Nahari was famous for fishery of Sweet fish (Ayu), it was damaged seriously.

Against this situation, J-POWER, fishermen, residents and an expert of Ayu jointly started river improve activities from 2004.



Figure 1 Dams in Nahari river

#### 1.2 Contents of Improve Activities

The main activities executed are as illustrated in Table 1. Considering length to be improved; that is from dam to river mouth and early appearance of activities effect, measures has been taken at three positions in the downstream of Hiranabe dam, which is located in the most downstream site in the three dams.

Table 1 River Improve Activities

Position	Start Year	Contents
Mouth of River	2005	To make Ayu spawn bed, sediment having appropriate grain size is supplied on the riverbed covered by hard and large sized grain, before November in every year. November is Ayu spawn season.
Intermediate Point from Dam to Mouth	2006	Sediment taken from the reservoir is supplied to the riverbed, which was done in 2006 and 2010.
Downstream of Dam	2017	Sediment taken from the reservoir is supplied to immediate downstream of Dam. Equipment was installed in 2016, shown in Figure 2. Larger amount of sediment will be supplied in 2018.

#### 1.3 Result

It is observed that the assumed number of Ayu has been gradually increasing since 2004 as shown in Figure 3, which is investigated in May every year before fishing season. Accordingly, it is judged that the taken measures have positive effect to restoration of habitat in downstream river of dams.

#### 1.4 For the Future

It is planned that sediment supply to immediate downstream of Hiranabe dam and monitoring of Ayu number are continuously conducted and enhanced. if necessary, in order to Improve all section of river from dam to mouth.



Figure 2 Equipment of Sediment Restoration




Figure 3 Secular Change of Ayu Habitat Number

## 2. Draw-Down Operation in Setoishi Dam

### 2.1 Background

J-POWER has Setoishi dam for hydropower plant, as shown in Figure 4 in Kuma river having 115 kilometers of the length and 1,880 square kilometers of river catchment area. The Kuma flows into Yatsushiro sea, having problems such as water quality deterioration and much mud on the bottom. One of the reasons for the problems is sediment termination by dam, then improvement of sediment control in dam is needed.

Setoishi reservoir has flooding risk around itself because of aggradation of riverbed by reservoir sedimentation, and it is planned that in flooding draw-down operation to control sedimentation will be conducted. Downstream of Setoishi dam, there was Arase dam in possession of Kumamoto prefecture, which had been under removal work between 2012 and 2018. In 2017 water channel appeared in dam removal site, then we started draw-down operation in Setoishi dam by way of experiment.

### 2.2 Draw-Down Operation

To make inflow sediment run out of reservoir through spillway gate, draw-down operation in flooding has to be conducted to get bigger tractive force in all area of reservoir than usual operation.

During draw-down operation, power generation has to be kept stopped. It is the most important for effective use of renewable hydropower to make an effective operation rules. We made the operation rules as shown in Table 2, using our own rainfall prediction system.

### 2.3 Result

Experiment operation in 2016 and 2017 told us that our operation rules were available. Because we did not have large rainfall during two years, effect in sediment control of draw-down operation was not clear.

### 2.4 For the Future

Full-scale operation will be started in 2018 and it is expected that environmental improvement in Yatsushiro sea and Kuma river will appear. Also operation rules will be checked and revised by estimation of effect of draw-down operation. (End)



Figure 4 Setoishi Dam, Hydropower Plant and Reservoir

Table 2 Setoishi Draw-Down Operation Rules

Items	Contents
Period	From June to September (avoiding going upstream and spawning season of Ayu)
Draw-Down Water Level	Low Water Level - 4.0m. Draw-Down rate is under 0.5m/hr.
Entry Criteria	When dam inflow volume is predicted over 2,000m <sup>3</sup> /s on our own rainfall prediction system.
Exit Criteria	When dam inflow volume is under 1,000m <sup>3</sup> /s on record.
Interruption standard	When Dissolved Oxygen of is under 5mg/liter on record.
Ground	Rules are grounded on result of numerical analysis considering balance between inflow sediment and output sediment.

J-POWER	
Contact Person:	Hirofumi OKUMURA
E-mail:	Hirofumi_okumura@jpower.co.jp
Phone:	+81-3-3546-9405
URL:	www.jpower.co.jp




## New Construction Technologies

### SP-TOM (Special Pipe Transportation Method)



This method can transport large quantities of concrete, soil and stone stably and continuously, by rotating a steel-pipe which several hard rubber blades are installed in a spiral pattern inside. The pipeline is installed on the slope.



### SP mixer (Special Pipe mixer)



This mixer was developed to mix CSG materials. This method is to mix materials passing through the interior by rotating a mixing tube equipped with blades inside the mixer.

The mixing tube is installed to incline. The self-weight of the CSG materials cause them to flow through the mixer. This mixer has two mixing effects inside its mixing tube; forced agitation by drive power and falling.

Patent:

Incorporated Administrative Agency Japan Water Agency; KAJIMA CORPORATION; OBAYASHI CORPORATION; TOBISHIMA COPORATION; Kumagai Gumi Co., Ltd.; The Zenitaka Corporation; Osakasaiseki Engineering Corporation

 KAJIMA CORPORATION

Contact Person:	Construction Management Dept. Takayuki KAMBE
-----------------	---

E-mail:	tkambe@kajima.com
---------	-------------------

Phone:	+81-3-5544-0664
--------	-----------------

URL:	<a href="https://www.kajima.co.jp/english/welcome.html">https://www.kajima.co.jp/english/welcome.html</a>
------	---

# Floating Type Temporary Cofferdam Method

Innovative Dam Redevelopment – A New Coffering System for Underwater Work–

## Feature of technology

With the floating type temporary cofferdam method, steel plates (skin plates) are attached to both the inside and outside of the bulkhead, the temporary cofferdam barrier that is integrated into the base is floated, and is supported by installing an anti-buoyancy brace on the top barrier of the dam body. The construction assembles barrier blocks made at the site on the reservoir surface, tows them to the installation position, pulls them by winch and secures them. The floating type temporary cofferdam method--assembling and installing while adjusting the ballast by filling and draining water from a reservoir--is the first of its kind in the world.




Figure of Structure




Figure of Structure


Technology developers:  
Kajima Corporation; Hitachi Zosen Corporation  
Joint developers:  
Ministry of Land, Infrastructure, Transport and Tourism  
Kyushu Regional Bureau; Japan Dam Engineering Center

 <b>KAJIMA CORPORATION</b>	
Contact Person:	Construction Management Dept. Takayuki KAMBE
E-mail:	tkambe@kajima.com
Phone:	+81-3-5544-0664
URL:	<a href="https://www.kajima.co.jp/english/welcome.html">https://www.kajima.co.jp/english/welcome.html</a>



## CRT(The Continuous Rotary Tube)Mixer System

The Continuous Rotary Tube (CRT) Mixer System provides using the Cemented Sand and Gravel (CSG) Method. By attaching agitating blades inside the steel drum and maintaining specified rotation speeds and angles, the mixer is capable of producing mixtures of consistent and stable quality.




Inside of drum


Mixing condition

Features of Mixer


- 1 Continuous rotary mixer
- 2 Stable supply of high-quality CSG
- 3 High production capacity (200m<sup>3</sup>/hour)
- 4 Automation of CRT Mixer System
- 5 An energy saving machine & Low cost



Mixing Plant Description



Name of Plant System	DKS- II Mixing Plant
Name of Mixing Element	CRT Mixer
Type of Mixing Element	Forced Type in the shape of Pipe
Dimension	φ 1,500mm × L6,000mm
Productivity	200m <sup>3</sup> /hour
Rotational Speed	5~20 rpm
Capacity of Motor	30kW 200V





**Nishimatsu Construction Co., Ltd.**

Contact Person: Public Relations Department


E-mail: [kouhoubu@nishimatsu.co.jp](mailto:kouhoubu@nishimatsu.co.jp)

Phone: +81-3-3502-7642


URL: <https://www.nishimatsu.co.jp/eng/>

**Newly Developed High-performance CSG Mixer: Double Rotation Continuous Mixer**

The newly developed double-rotation mixer combining the characteristics of a tilting mixer and a forced circulating mixer produces high-quality CSG (Cemented Sand and Gravel) mixes at a rate exceeding 200 m<sup>3</sup>/h




**Example of Concrete Plant Layout**






Mixer Specifications

Rotating Drum Specifications	
Drum inside diameter and height	$\phi 1800 \times 4200L$
Rotation speed and direction	10 rpm (clockwise looking in the direction of movement)
Motive power	37kw $\times$ 220V
Drive system	Chain drive
Support system	Roller ( $\phi 400 \times 145L$ ) $\times$ 4
	Thrust roller ( $\phi 250 \times 90L$ ) $\times$ 2
Inner Paddle Specifications	
Mixer outside diameter, pitch and number of paddle shafts	$\phi 1100 \times P1000$ (two shafts)
Rotation speed and direction	38 rpm (counterclockwise looking in the direction of movement)
Motive power	45kw $\times$ 220V
Drive system	Chain coupling drive, chain drive
Support system	Bearing
	Plummer block ( $\phi 135$ )
Paddle inserts	Size
	Quantity



Mixing



Side View

**SHIMZ CORPORATION**

Contact Division:	Dam Engineering Dept.
E-mail:	e.hasegawa@shimz.co.jp
Phone:	+81-3-3561-3883
URL:	<a href="https://www.shimz.co.jp/en/">https://www.shimz.co.jp/en/</a>

## New Water Filtration System (Advanced Membrane Filtration Process)




In construction projects such as tunnel and dam construction and site preparation, proper treatment of turbid water generated from construction work is important in order to protect the environment. There has also been growing demand for higher water treatment performance than required by the current standards of the local governments.

Conventional turbid-water treatment processes relied mainly on coagulation and sedimentation. Shimizu's newly developed filtration system effectively removes suspended solids by use of a membrane filtration process to achieve higher water quality in an environmentally considerate manner and provide solutions to current and emerging problems.

### Features

- The filtration process reduces the SS concentration of turbid water to 5 mg/L.
- High turbidity (SS1000–3000 mg/L) water can be treated directly.
- The process is environmentally friendly because it does not use any organic polymer coagulant.
- The system footprint is compact because sand filtration is not used.
- The water treatment system is environmentally considerate because it requires only a small amount of electricity.


### Turbid Water Treatment Test Data




Raw water and treated water



System Flow



How Membrane Filtration Works



Membrane Filtration Capacity



Let A (m<sup>2</sup>) represent the area of the membrane surface. Then, membrane filtration capacity V (m<sup>3</sup>/day) can be calculated as follows:

$$V = A \times 2 \text{ m}^3/\text{day}$$

<b>SHIMZ CORPORATION</b>	
Contact Division:	Dam Engineering Dept.
E-mail:	e.hasegawa@shimz.co.jp
Phone:	+81-3-3561-3883
URL:	<a href="https://www.shimz.co.jp/en/">https://www.shimz.co.jp/en/</a>

## Remote Controlled Multifunctional Underwater Equipment

### Underwater Operation Using an Equipment with Apparatus (T-iROBO UW)



#### Summary

This equipment enables a series of underwater operations such as rock crushing, excavation, debris disposal, precise sounding, photography, etc. in a safe and reliable condition through remote controlling. These are carried out by various apparatuses on a machine attached to a shaft which is lowered from a barge. The machine moves up and down along the shaft.

The equipment has been developed to conduct various underwater works without divers. It is especially advantageous for works in deep, steep and limited visibility areas such as dam reservoirs. Significant improvements of safety and operational efficiency are observed through remote controlled visualization technology and computerized technology.

#### Specific Features

- a. Enables deep underwater works without divers
- b. Applicable for all types of reservoirs
- c. Applicable for very steep areas via an equipped casing auger
- d. Enables a series of works to be carried out by various apparatuses
- e. Equipped with I.T, machine guidance
- f. Applicable for deep and dark reservoir bases via equipped ultrasonic camera
- g. Enables precise execution via equipped sounders

<b>TAISEI CORPORATION</b>	
Contact Division:	Dam Engineering Section
E-mail:	arai@ce.taisei.co.jp
Phone:	+81-3-5381-5282
URL:	<a href="http://www.taisei.co.jp/english/">http://www.taisei.co.jp/english/</a>



## Various Apparatuses

Applicable for a series of works via various apparatuses attached to a machine



Rock crushing with a breaker




Sand pump suctioning




Cleaning by an ejector

## Examples of applicable works


### Precise sounding




### Edge cutting




### Crushing concrete



### Grab dredging



### Surface treatment



## Other applications


- a. Drilling by an air drifter
- b. Surface cleaning by a rotary brush
- c. Rock & concrete cutting by wire-saw
- d. Steel beam & pipe and reinforced concrete cutting by nibbler

# The Development and Management of the ICT System for Dam Construction

## Summary of the Whole System

This system centers on the 4 Dimensions-Dam Information Service and consists of individual subsystems such as the rolling compaction control system, material tracing system and the slope compaction control system. These subsystems enable improvements in efficiency and assurance of the quality of construction.


## Summary of the Whole System



<b>TAISEI CORPORATION</b>	
Contact Division:	Dam Engineering Section
E-mail:	arai@ce.taisei.co.jp
Phone:	+81-3-5381-5282
URL:	<a href="http://www.taisei.co.jp/english/">http://www.taisei.co.jp/english/</a>




## Data Concept



For the 4D-DIS core, we have adopted the Relational Database Management System. The characteristics of the core exist in that it manages accumulated data four-dimensionally with use of a coordinate and time .

## Image of Base Material Management




By utilizing Integrated Circuit tags in the management of extraction, transportation and temporary placement of base materials, the system prevents human errors, assures classification in temporary placement and grasps quantities .



# Hydrodynamic Pressure on the Gate

The hydrodynamic pressure acting on the Gate is larger than which acting on the Dam body (Westergaard's formula)

## ① Entire System Analysis Model (Dam-Gate-Rock-Reservoir)




Analytical model: Dam-Gate-Rock-Reservoir Model  
 Analysis approach: 3-Dimensional Linear Dynamic Analysis  
 Number of nodes and elements: About 250,000



## ② Gate Analysis Model

Analytical model: Gate Model  
 Analysis approach: 3-Dimensional Linear Dynamic Analysis  
 Number of nodes and elements: About 20,000



Distribution of stress and displacement




- The hydrodynamic pressure acting on the Gate is derived from the entire system analysis model.
- High reliable value of the stress on the Gate is calculated by Detail Gate Analysis Model.






# The Non-linear Analysis of Pier

## Plastic deformation is visualized

### ① Before aseismic reinforcing work



### ② After aseismic reinforcing work



- Physical behavior of the pier concrete after cracking is derived and visualize
- Structural residual deformation on the pier after the earthquake is derived and visualize



Tokyo Electric Power Services Co., Ltd.

Contact Person: Business Development Dept.  
Ryoutarou MATSUMOTO

E-mail: r-matsumoto@tepsc.co.jp

Phone: +81 3 6372 5175

URL: www.tepsc.co.jp



Published by  
**JAPAN  
COMMISSION  
ON LARGE DAMS**

Ningyo-cho Sun City Bldg. 2F,  
1-2-7, Nihonbashi-Ningyo-cho,  
Chuo-ku, Tokyo 103-0013, JAPAN  
URL:<http://www.jcold.or.jp>